Material order form for
WestWood products

Tel: +49 5702/8392-299
eMail: orders@westwood.de

Date: _____

Lifting platform ☐ yes ☑ no

Express ☐ _____ Clock

Tel. advice ☐ yes ☑ no

Tel.: _____

Material type	Colour	Quantity	Packaging size	Total quantity	Catalyst
Primer					
Wecryl 110 - Asphalt	White		5 / 10 / 25 kg		
Wecryl 114 - Bitumen welding membranes	White		10 kg		
Wecryl 123 K - Scratch coat for bonded waterproofing	Greenish		25 kg		
Wecryl 130 - for bonded waterproofing	Greenish		25 kg		
Wecryl 131 - Scratch coat for bonded waterproofing	Greenish		10 / 25 kg		
Wecryl 131 K - Scratch coat for bonded waterproofing	Greenish		25 kg		
Wecryl 171 - mineral substrates	White		5 / 10 / 25 kg		
Wecryl 176 - absorbent substrates	White		5 / 10 / 25 kg		
Wecryl 176 K - Primer/scratch filler	White		10 / 25 kg		
Wecryl 178 - damp substrates	White		10 / 25 kg		
Wecryl 198 - Details	Unpig. / white		5 / 10 kg		
Wethan 109 - FPO/TPO primer	----------		0.8 kg bottle		
WGP 105 - Glass primer	----------		1,0 kg		
WMP 113 - Metal primer	Grey		1 / 10 kg		
WMP 174 S - Metal primer, sprayable	Grey		0,5 l		
Waterproofing					
Wecryl R 230	7032		5 / 10 / 25 kg		
	7043		5 / 10 / 25 kg		
Wecryl R 230 thix	7032		5 / 10 / 25 kg		
	7043		5 / 10 / 25 kg		
Wecryl R 230 thix HT	7032		5 / 10 / 25 kg		
	7043		5 / 10 / 25 kg		
Wecryl R 230 TT	7032		5 / 10 / 25 kg		
	7043		5 / 10 / 25 kg		
Wecryl 240	7044		25 kg		
Wecryl 240 thix	7044		25 kg		
Wecryl 271	7032		10 / 25 kg		
Wecryl 279	7030		10 / 25 kg		
Wecryl 280	7032		25 kg		
Wecryl 280 thix	7032		25 kg		
Protective layer					
Wecryl 333, levelling mortar	7032 / black		33 kg		
Wecryl 333 WI, levelling mortar	7032 / black		33 kg		
Wecryl 333, thix 10, levelling mortar	7032 / Black		33 kg		
Wecryl 333, thix 20, levelling mortar	7032/ Black		33 kg		
Wecryl 337 2K levelling mortar	7035		15 kg		
Wear layer					
Wecryl 402 - Finish	Unpig. blued		10 / 25 kg		
Wecryl 407 - Finish, dynamic crack bridging			10 / 25 kg		
			10 / 25 kg		
Wecryl 409 - Finish, highly chemical resistant			10 / 25 kg		
			10 / 25 kg		
Wecryl 413 - High Performance Textured Coating			15 kg		
			15 kg		
Wecryl 419 - textured coating Best Performance			15 kg		
			15 kg		
Wecryl 420 - Roll coating			15 kg		
			15 kg		
Wecryl 484 - Finish, reflective	White		10 kg		
Wecryl 488 - Finish, pigmented			5 / 10 / 25 kg		
			5 / 10 / 25 kg		

WestWood products each automatically plus catalytic converter (summer/winter quantity)

Material order form for WestWood products

Tel: +49 5702/8392-299
eMail: orders@westwood.de

Material type	Colour	Quantity	Packaging size	Total quantity	Catalyst
Wear layer					
Wecryl 489 - Finish, fire retardant			10 kg		
			25 kg		
WeTraffic 491 - Textured roll coating Slow Traffic			15 kg		
			15 kg		
WeTraffic 492 - Structural surfacing FGSO			15 kg		
			15 kg		
WeTraffic 493 - High Performance textured flooring			15 kg		
			15 kg		
WeTraffic 496 - Easy Clean roller coating			15 kg		
			15 kg		
WeTraffic 496 BX - Easy Clean roller coating with bauxite			15 kg		
			15 kg		
WeTraffic 497 - Roller-applied marking			15 kg		
			15 kg		
System accessories and supplements					
Wecryl 810 - Filler	7032 / 7043		5 / 10 kg		
Wecryl 813 - Sealing compound	7030		10 kg		
Wecryl 815 - Fibre filler	7032		10 kg		
Wecryl 821 - Substrate hardener	----------		10 kg		
Wecryl 826 - Quick screed resin + sand (bucket)	grey		27,5 kg		
Wecryl 842 - Mortar resin + sand (bucket)	Asphalt black / 7042		10 kg		
	Asphalt black / 7042		20 kg		
	Asphalt black / 7042		33.34 kg		
Wecryl 843 - Mortar	7043		5 kg+ 8 kg		
	7043		15 kg+ 24 kg		
Wecryl 846, concrete repair mortar resin + sand (bucket)	grey		27 kg		
Wecryl 847, Adhesive and reinforcing mortar	7035		15 kg		
Wecryl 885, concrete replacement resin+ Sand (bucket)	Grey		26 kg		
Wecryl 887, Crack Mortar Resin + Sand (bucket)	Asphalt black		4 kg		
Wecryl 890 Tack resin, adhesion promoter	Greenish		10 kg		
WeTraffic 894 Repair mortar, fine	7043		15 kg		
Wecryl 895 Tack resin, adhesion promoter	Greenish		25 kg		
WestWood Quartz Sand	25 kg bag		0.10 - 0.60 mm		
	25 kg bag		0.40 - 0.80 mm		
	25 kg bag		0.70 - 1.20 mm		
	25 kg bag		1.00 - 2.00 mm		
WestWood hard grain	25 kg bag		1.00 - 2.00 mm		
	25 kg bag		1.00 - 3.00 mm		
WestWood 910 - Setting agent, powder	----------		1 kg		
	----------		5 kg		
	----------		10 kg		
WestWood 800 Drain-Mat - Decoupling mat, 3 mm	5 m x 1 m		1 pc.		
PCI Nanolight - adhesive	----------		15 kg		
PCI Gisogrund Rapid - Primer	----------		1 l		
fermacell® Powerpanel TE - Dry screed board, 2.5 mm	1.25 m x 0.5 m		1 pc.		
fermacell® screed adhesive	----------		1 kg		
fermacell® Powerpanel TE Screws	----------		1 pack (500 pieces)		
Wekat 900 - Catalyst	Portion bag		100 g		
	Cardboard box		5 kg, loose		
	Cardboard box		25 kg, loose		
Wekat 902- Catalyst, liquid	Bottle		1 l		
	Canister		4 l		
WestWood cleaner	Bottle		1 l		
	Canister		5 l		
	Canister		10 l		
	Canister		30 l		

WestWood products each automatically plus catalyser (summer/winter quantity)

Material order form for WestWood products

Tel: +49 5702/8392-299
eMail: orders@westwood.de

Material type	Colour	Quantity	Packaging size	Total quantity	Catalyst
System accessories and supplements					
WestWood chips	Black		1 / 20 kg		
	White		1 / 20 kg		
	Grey		1 / 20 kg		
WestWood Chips, fine	Black		1 kg		
	White		1 kg		
	Grey		1 kg		
WestWood Metallic Decochips	Gold		200 g		
	Silver		200 g		
	Silver antique		200 g		
WeVlies perforated, printed, 1 roll (= 50 running metres)	White		1,05 m		
	White		70 cm		
	White		52 cm		
	White		42 cm		
	White		35 cm		
	White		26 cm		
	White		20 cm		
	White		15 cm		
	White		10.5 cm		
WeVlies, printed, 1 roll (= 50 running metres)	White		1,05 m		
	White		70 cm		
	White		52 cm		
	White		42 cm		
	White		35 cm		
	White		26 cm		
	White		20 cm		
	White		15 cm		
	White		10.5 cm		
Fleece - Mouldings	Outside corner		1 PU= 20 pcs.		
	Inside corner		1 PU= 20 pcs.		
	Tubular collar cuff		1 PU= 10 pairs		

Signature: _____

Status: July 2025