

Printing date 25.06.2025 Version number 4 Revision: 08.03.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Wecryl 843 S
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against See Section 16
- · Application of the substance / the mixture Filling mortar
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

WestWood Liquid Technologies Limited 31 Morris Road Nuffield Industrial Estate Poole, Dorset BH17 0GG United Kingdom

Fon: +44 800 808 5480

Internet: www.westwood-uk.com

Further information obtainable from:

Product safety department Mr. Wayne Chissell Fon: +44 7725 940 678

Email: wayne.chissell@westwood-uk.com

**Emergency telephone number:** 

24h - Emergency number Phone: +1 872 5888271 (W)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Does not meet the PBT-criteria of Annex XIII of UK REACH (self assessment).
- · vPvB: Does not meet the vPvB-criteria of Annex XIII of UK REACH (self assessment).

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Mixture: consisting of the following components.
- · Dangerous components: Void
- Additional information: For the wording of the listed hazard phrases refer to section 16.

GB —



Printing date 25.06.2025 Version number 4 Revision: 08.03.2024

Trade name: Wecryl 843 S

(Contd. of page 1)

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

If symptoms persist consult doctor.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures



Keep away from ignition sources.

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

No special measures required.

at least 7-fold air changes per hour

· Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

(Contd. on page 3)



Printing date 25.06.2025 Version number 4 Revision: 08.03.2024

Trade name: Wecryl 843 S

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store in dry conditions.

no storage in the vehicle - only transport

7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Check the permeability prior to each anewed use of the glove.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

General recommendation: The usage time of the protective gloves is approx. 50% of the penetration time measured in the laboratory!

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Protective gloves according EN 374.

Saitable material: nitrile.

### · Penetration time of glove material

Our Recommendation is mainly on a one-time use as a short-term protection Liquid splashes. For other applications, you should contact a glove manufacturer.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Butyl rubber, BR

- · For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR
- · Not suitable are gloves made of the following materials: Leather gloves

(Contd. on page 4)



Printing date 25.06.2025 Version number 4 Revision: 08.03.2024

Trade name: Wecryl 843 S

(Contd. of page 3)

#### · Eye protection:



Tightly sealed goggles EN standard: EN 166

· Body protection:



Protective work clothing

## **SECTION 9: Physical and chemical properties**

. 9 1	Information of	on basic ph	vsical and	chemical	properties
J. I	IIIIOIIIIauoii v	JII DASIG DI	ivəicai ailu	CHEIIICAI	DIODELLES

· General Information

· Appearance:

Form: Grainy
Colour: unpigmented
Odour: Odourless
Odour threshold: Not determined.

• **pH-value:** Mixture is non-polar/aprotic.

· Change in condition

Melting point/freezing point: 1,713 °C Initial boiling point and boiling range: >999 °C

· Flash point: Not applicable.

· Flammability Not determined.

Decomposition temperature: Not determined.

Ignition temperature: Product is not selfigniting.
 Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapour pressure: Not applicable.

Density at 20 °C: 2.65 g/cm³ (EN ISO 2811-1)

Bulk density: 2,650 kg/m³
 Relative density Not determined.
 Vapour density Not applicable.
 Evaporation rate Not applicable.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

**Dynamic:** Not applicable.

(Contd. on page 5)



Printing date 25.06.2025 Version number 4 Revision: 08.03.2024

Trade name: Wecryl 843 S

\_\_\_\_\_\_

(Contd. of page 4)

	(Cond. or page	4)
Kinematic:	Not applicable.	
· Solvent content: Organic solvents:	0 %	
· 9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity see Section 10.2
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

No dangerous decomposition prodocts used according to specifications.

Additional information:

Emergency procedures will vary depending on individual circumstances. The customer should have a contingency plan to the workplace may be present.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects There were no toxicological findings to the mixture.
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
Quai	Quartz sand	
Oral	LD50 >1,234,567 mg/kg	
	LD50 >1,234,567 mg/kg	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: not tested
- Additional toxicological information:

· Acute effects (acute toxicity, irritation and corrosivity)
Quartz sand
Oral LD50 >1,234,567 mg/kg

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) not tested
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

- GB —



Printing date 25.06.2025 Version number 4 Revision: 08.03.2024

Trade name: Wecryl 843 S

(Contd. of page 5)

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Does not meet the PBT-criteria of Annex XIII of UK REACH (self assessment).
- · vPvB: Does not meet the vPvB-criteria of Annex XIII of UK REACH (self assessment).
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

Hazardous waste according to Waste Catalogue (EWC). If recycling is not possible, waste must be in compliance with local regulations to be removed.

· Recommendation

Uncured product residues are special waste.

**SECTION 14: Transport information** 

Cured product residues are not hazardous waste.

Empty containers to an approved waste handling site for recycling or disposal.

· Uncleaned packaging:

**UN "Model Regulation":** 

· Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of  Not applicable.

Void





Printing date 25.06.2025 Version number 4 Revision: 08.03.2024

Trade name: Wecryl 843 S

(Contd. of page 6)

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Employment restrictions under the Maternity Protection Directive (94/33/EC). Employment restrictions for maternity Directive (92/85/EEC) for expectant and nursing mothers.

- · Other regulations, limitations and prohibitive regulations Es gelten die jeweiligen Landesvorschriften.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These figures relate to the product as delivered.

Sector of Use

Relevant identified uses of the mixture

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU19 Building and construction work

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

SU21 Consumer uses: Private households / general public / consumers

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Training hints

Teaching about hazards and precautions to hand the operating instructions (Technical Rule 555). Instruction must take place before the start of employment and at least annually thereafter.

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 8)





Version number 4 Revision: 08.03.2024 Printing date 25.06.2025

Trade name: Wecryl 843 S

(Contd. of page 7)

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

Sources

www.gestis.de www.echa.eu logkow.cisti.nrc.ca

\* Data compared to the previous version altered.

 $\mathsf{GB}\,-$